

# Health & Safety Update September 8, 2020

Department Orientation



# EHS recommendation



## Infection Prevention Guidelines for Laboratories

Note: Before beginning research, the Principal Investigator must submit a Plan for Research Resumption and receive approval from the OVPRI. All research must be undertaken in accordance with the [Principles and Procedures for On-campus Research at Carleton University](#).





This checklist is intended to aid laboratory and research teams in planning to ramp-up operations, to minimize potential disruptions, and to ensure the safety of all returning staff, faculty and students to laboratories. These COVID-19 infection prevention guidelines are in addition to standard laboratory safety practices as outlined in Carleton's [Labsafety program](#) (e.g. Training, Labsafety Manual). Principal Investigators must ensure supplied materials (e.g. disinfectants, PPE, face coverings) are available and procedures are established. They also must anticipate the need to quickly ramp down research, as indicated in the Research Resumption Plan, if Public Health recommendations change.

GENERAL	
Communicate to all research staff and students the steps taken to ensure a safe workplace and what each person can do themselves.	
Highlight potential transmission points within the laboratory environment, including specific activities.	
Install wall and floor signage to indicate hand hygiene and physical distancing requirements.	
All faculty, staff and students are required to self-screen regularly for health issues. If you become sick while at work, STOP the work, self-isolate and inform your supervisor electronically. Follow Ottawa Public Health Guidelines for <a href="#">self isolation</a> .	
Educate employees and students that everyone is responsible to evaluate their health consistently. If they are sick, develop flu-like symptoms or someone at home is sick then you must remain home.	
Faculty, staff and students must complete COVID 19-Infection Prevention Training.	
PHYSICAL DISTANCING	
Are there non-essential tasks you can minimize, postpone or eliminate?	
If possible, continue to work remotely.	
Move non-hazardous and non-research tasks into offices and available non-lab areas. This can include labelling, unpacking supplies, data analysis, and other tasks.	
Practice physical distancing (staying 2 metres away from others) during work activities and during breaks.	
Control and limit the number of people in a workspace (e.g. tissue culture rooms, shared equipment rooms) to one at a time if 2 metre distancing is not possible.	
Implement job rotation and shift changes when possible to have fewer individuals doing the same task in the same workspace.	
Reposition assigned bench spaces to increase physical distances. Install barriers, partitions and floor markings where recommended.	
Avoid unnecessary visits to the workplace by supply chain partners, vendors, delivery people or others who do not need to be there. Seek technology solutions for these interactions.	
If possible, assign each individual to their own equipment or schedule use of shared equipment.	
When physical distancing cannot be maintained, a non-medical face covering should be worn.	



# EHS recommendation



<p><b>HAND HYGIENE</b></p> <p>Disinfect your hands as soon as you come into work through the use of good handwashing techniques or use alcohol-based hand sanitizer.</p> <p>Disinfect your hands after interacting with co-workers and/or completing tasks where you come into contact with shared surfaces or equipment or after removing your laboratory gloves.</p> <p>If you cough or sneeze, cover your nose and mouth with a tissue or your arm. Immediately dispose of your tissue and wash your hands. Be mindful of chemical contaminants on your labcoat if you sneeze into your arm.</p>	
<p><b>VENTILATION (FMP Responsibility in most areas)</b></p> <p>Maximize the amount of fresh air into a space and maintain 100% air to the building where possible keeping in mind temperature and relative humidity constraints. Open windows if possible.</p> <p>Ensure restrooms are under negative pressure.</p> <p>Ensure HVAC systems are properly maintained.</p>	
<p><b>CLEANING AND DISINFECTION</b></p> <p>FMP will continue cleaning public spaces (e.g. corridors, washrooms, etc)</p> <p>Implement cleaning twice a day for all commonly handled shared items/equipment (e.g. inner door handles, laboratory equipment). This should be completed at the start of the day, or if multiple shifts are in place, at the start of each shift.</p> <p>Maintain your normal disinfection protocols and consider expanding them to frequently touched surfaces in your lab.</p> <p>Clean all shared laboratory equipment before and immediately after use.</p>	
<p><b>USE OF PERSONAL PROTECTIVE EQUIPMENT</b></p> <p><b>PERSONAL CARE KIT</b></p> <p>Non-medical masks and face coverings to be used where physical distancing is not possible. They can be worn to prevent spread, and/or stopping the wearer from touching their nose and mouth.</p> <p>They do not provide respiratory protection for the wearer.</p> <p>Must continue to practice hand hygiene (see above).</p> <p><b>PERSONAL PROTECTIVE EQUIPMENT (PPE)</b></p> <p>PPE is reserved for areas or functions where mandated by regulations. Continue using the typical approved PPE required for working safely in your area.</p> <p>Do not share PPE between workers.</p> <p>Ensure the laboratory has the PPE required to work safely in the lab.</p> <p>Remove PPE in a manner that minimizes potential transmission from contaminated gloves.</p>	
<p><b>LABORATORY SPECIFIC STARTUP CONSIDERATIONS</b></p> <p>Ensure you have an adequate stock of research PPE, consumables, reagents and face coverings (if required) before beginning laboratory work. Check with Science Stores regarding available supply.</p> <p>Complete a walk through of the laboratory and complete a visual inspection looking for any evidence of problems before beginning laboratory work (e.g. failed equipment, leaks, spills, theft, etc.). Review spaces for physical distancing as part of inspection.</p> <p>Review equipment manuals for safe start-up instructions.</p> <p>Flush emergency eyewash stations for 3-5 minutes to remove sediment and stagnant water and document on inspection tag.</p> <p>Inspect fume hoods, local exhaust devices, biosafety cabinets, laminar flow benches, and any other engineered safety devices. Ensure fire extinguisher has been inspected within the last month, and is fully charged.</p> <p>While physical distancing, avoid working alone in hazardous situations. Review and comply with Working Alone Guidelines.</p>	



# BUILDING ASSESSMENT

Herzberg Building

## LEGEND



Bi-directional



Hand Washing



Accessible



No entry



Staff Only



Exit Only



Enter Only



Hand Sanitizer



Plexiglass



Signage



Down only



Up only



Maximum Occupancy



# Restart in Herzberg



- Physical distancing imposed (2m)
- Mask (in Herzberg)
- Clean surfaces and disinfect common surfaces and tools
- No gathering
- Work limited to approved areas
- **Do you COVID training to come to camps (mandatory)**
- **Plus any other required training (lab + WHMIS)**

## **Derogation (for access = fill daily form )**

- 1) Follow the guidance of you supervisor [research]
- 2) Instruction from Chair of the Department or Scientific Office [academic]